Please delete the present Abstract of the Disclosure.

Please add the following new Abstract of the Disclosure:

A roughness of an outer ring raceway surface 14 formed on an inner peripheral surface of an outer ring 13 is made larger than a roughness of inner ring raceway surfaces 12a, 12b of an inner ring 11. Also, an average roughness Ra of the outer ring raceway surface 14 is set within $0.1 \ \mu m \leq Ra \leq 0.5 \ \mu m$ in an axial direction and a circumferential direction in ranges of $b_1/(B/2) \leq 0.9$, $b_2/(B/2) \leq 0.9$ and in a measured length of 0.1 mm to 1.0 mm where B is a width of the outer ring 13 and b_1, b_2 are a distance from both end surfaces of the outer ring 13 in the axial direction respectively. A roughness parameter S of the outer ring raceway surface is set within $0 < S \leq 20 \ \mu m$.